Ref #	Hits	Search Qu <b>ery</b>	DBs	Default Operator	Plurals	Time Stamp
S1	2338	200/511-513,245,275.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 07:18
S2	746	178/18.01,18.06.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 07:18
S3	648	200/520- <b>521.ccls</b> .	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 07:19
S6	273	touch-sensitive with ((keypad) or (device)) and tactile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:30
S7	62	S6 and alphanumeric with character\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 07:45
S16	2	S7 and tactile with elevat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 10:06
S20	2	S1 and elevat\$5 with tactile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:15
S23	27	touch-sensitive with ((keypad) or (device)) and tactile and elevat\$4 with ((var\$5) or (chang\$4) or (different))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 08:35
S30	-4	touch-sensitive with ((keypad) or (device)) and elevat\$5 with tactile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 09:15

S34	22	touch-sensi\$5 with ((keypad) or (device)) and ((elevat\$5) or (rais\$3)) with tactile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 09:31
543	1	S7 and IACK with keypad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:41
S47	54	S2 and substrate with array\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:45
S49	3	S47 and capacitive with ((state) or (grid))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:51
S50	3	S49 and conductive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 12:54
S51	2	S50 and insulat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:23
S52	1	S50 and coordinate	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:34
S57	2	S30 and collaps\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:35
S59	1	S1 and IACK with keypad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:56
S60	O.	S2 and IACK with keypad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:43

S61	1	S3 and IACK with keypad	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:43
S62	11	S3 and flexible with cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:58
S63	1	S62 and substrate with cover	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 14:59
S68	2	S1 and alternating with row\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:47
S69	3	S2 and alternating with row\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:50
S70	1	S3 and alternating with row\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:50
S72	2	S6 and alternating with row\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/05 16:51